SUPPLEMENT TO

The Gazette



of **Endia**

No., 36]

NEW DELHI, SATURDAY, SEPTEMBER 8, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, samllpox, plague and typhus in districts in India during the week ending the 11th August 1951.

	Сн	olêba	Smal	LPOX	PLAG	T		a	HOLERA	S м	ALLPOX	PLAG	t O. H
	C.	D.	o.	D.	C.	D,		G.	D.	O.	D.	O.	D.
STA	tes p	ART (A)	& PAR	T (C)				F	Bihar				
		Ajmer					Patna	63	26	3	2	••	***
							Gaya	81	52	38	8	••	***
	No	incidenc	e.				Shahabad	48	38	30	10	••	•.•
(Estd. milisyear pop.					•		Saran	24	13	38	7	••	••
680 thousands)							Champaran	6	4	26	10	••	••
Total for wife 4-8-51	***		••	••	• •	••	Muzaffarpur	••	••	8	3	••	••
Total for w/e 28-7-51	• •	. 618	••	• •	••	••	Darbhanga	••	"	31	12	••	• •
7. yearly mean for the week. •	:	2	e xe	• •	,	••	Monghyr	33	11 12	18	8	••	••
							Bhagaipur	28	_	••	••	••	÷10
		Assam					Downer	••	••	9	3	••	••
Caclar · ·	1	8	4	3	• •	••	91 D	42	 19	2		••	• •
Khasi and Jaintia		, 620	••	e x•	•••	QK.P	Tiera-ibaab	3	19	7	2	••	• •
Hills	•		••	92.0	0.20	400	Danahi	28	13	15	1	⊕ t ⊕	••
Naga Halls				••	-	92.0	Manbhum	29	9	17	5	••	••
Goalpara			• • •		***	9.0	Palamau		-	11	_	-	414
Zamreb					••	••	9'	• •	••	••	••	tant .	••
Darrang	2	, 1	41.0	626	••	***	eingunum • •	••	· •••	418	-	-	**
Nowgong • •	•	• @:•	2	1	••	-	TOTAL .	385	198	242	71	970	4,4
Sibsagar	-01			2	••	6110	(Estd. mid-year pop.						
Lakhimpur Sadiya & Frontier Trac	ts -			••	••	-	38,839 thousands)	5.0					
Garo Hills				••	••	450	Total for w/e 4-8-51	342	114	211	47	-	tes.
Garo Hims			9 6	6			Total for w/e 28-7-51	437	174	313	77	•••	***
Total •	3	3 , 6	, 0	Ů	••	-	7-yearly mean for the week	1,498	735	65	16	1	
(Estd. mid-year pep. 8,101 thousands)								В	ombay				
Total for w/e 4-8-51	13	6	10	7		••	Bombay	• •	9.09	1	••	***	-
		4 2	6	3	••	***	Ahmedabad		-	• •	••	-	***
Total for w/e 28-7-51		-			6		Kaira	-	•••	1	••		••
7-yearly mean for the week	1	6 🐧 🤄	7	2	•	••	Broach	• ••	••	••	••	••	••
		.					Panch Mahals .	• ••	••	••	••	••	••
	B	hop al					Surat	• ••	• •	3	3	• •	••
	No ir	oidence.	•				Thana	• ••	•••	6		••	• •
(Estd. mid-year pop.	•	•					Bombay Suburbans	• • ••	••	••	••	A-REF	• •
821 thousands)							Ahmednagar .	. 1	1	11	1	••	**
* Total for w/e 4-8-51		• •	L	••	400	-	East Khandesh .	• ••	••	• •	••	••	••
* Total for w/e 28-7-51		••		*	442	***	West Khandesh .	• ••	••	5	••	#±#	404
7-yearly mean for the week		12	6	••		••	Amreli	• ••	••	••	••	636	***
fils Accu			1	Explana	tion of	Symb ols	used t- CmiCases, Dml	Deaths.					
						r.	199 1	`					

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 11th August, 1951—contd.

	Онов	EC∆	Smai	LLFOX	PLA	2U#	,	Оно	<u>lera</u>	SMAL	L₽0≭	PLAC	B Un
No	U. ,	D•	G,	a	O .	D,		o.	D,	a,	D.	c.	D.
	R	ombay—	-contd.				TM	adhya P	radesh—	-contd.			
Nasik		• •	20	1									
Poons			3	٠.	••		Betul Bhandara	••	••	4	••	••	• •
Satara North	1	1	10				Jabalpur	••	••	1	••	••	••
Saura South			••				Sagar	• •	••	• •	••	••	••
Sholapur	7	5	4	••	••	••	Mandla		• •	16	1		••
Sabarkantka .					••	••	Roshangabad		••	••	••	••	••
	1	 1	-	••			Balaghat	••	••	••	••	••	••
Belgaum			••	••	••	•••	Reipur		••	••	••	••	••
Bijapur	13	4	••	• •	••	••	Bilampur	••	••		••	••	••
Dharwar	82	12	• •	••	••	••	Durg	••	••	29	7	• •	••
Kanara	••	• •	4	1	••	••	Bastar	-	-	11	8	••	4,4
Ratnagiri	••	••	2	••	• •	***	Surguja Raigarh	••	••	••	••	••	••
Kolaba	••	•1•	• •	••	• •	• •	Amravati	1	••	••	••	••	4:0
Kolhapur	••	••	••	••	••	• •	Yeotmai	1	••	10			
Baroda	••	••	••	••	••	••	Akola	• •	••	••	••	••	447
Navesti				••	• •	••	Buldana	₹14	••	1	••	••	-
Dangs	••	• •	••	••	••	••	TOTAL .	2	••	125	13	••	_
Malwan	••	••	1.0	0.0	•-•	• •	(Estd. mid-year pop.						
Mehsana	4.0	€7€	••	••	• •	••	21,368 thousands)	16	6	106	10		
Total .	55	24	70	8	81.0	_	Total for w/e 4-8-51 Total for w/e 28-7-51	14	8	145	18 21	••	4.4
(Estd, mid-year pop.						_	7-yearly mean for	~-		-40		••	
83,821 thousands)							the week	605	296	57	9	11	1
Total for w/e 4-8-51	96	42	92	23	**	143			Madra	8			
Total for w/e 28-7-51	45	17	115	17	•	₩.	Visakhapatnan.	5	8	28	8	***	-
7-yearly mean for the wee	k 314	13 6	75	15	74	32	Chicacole .	88	37	71	10		_
•	(Ca or g					East Godavari	19	11	31	8	-	-
	$\mathbf{No}_{\mathbf{L}}$ in	cidence.	•				Krishna . Guntur .	1 27	1 11	17 16	2 5	• •	
(Estd. mid-year pop.							Nellore	21	12	9	8		
174 thousands)							Ouddeppsh .	3	2	45	9	-	_
Total for w/e 4-8-51	••	• •	2	-10	***	-	Kurnool .	3	2	18	4	-	
Total for w/e 28-7-51		••	• •	_	••	• •	Bellary Anantapur .	46 86	15 35	1 13	4	4+4	-
7-yearly mean for the week			1	910	••	٠,•	Madras .	9	1	25	5	_	
						•	Chingleput .	69	84	22	5	••	
		Daihi					Chittoor	18	9	23	3	• •	
	No 1	noideno	θ.				North Arcot .	81	16	68 65	15	••	-
(Estd. mid-year pop. 1,458 thousands)							Salem	3 1	1	38	16 12		***
Total for w/e 4-8-51 .				_			South Arcot .	175	121	45	12	•••	• •
Total for w/e 28-7-51		_	2	_	•••	•	Tanjore .	1	1	34	10		-
7-yearly mean for the	• -			_		_	Tiruchirapalli .	10 6	3 3	66 68	19 3	-	• •
wook.	. 7	1	1	1	-	-	Mathurai	5	3	20	7	-	
	Him	achal P	radesh				Tirunelveli .			53	12	_	•
	N	o incide	noe.				Nilgiria .	-	-	8	8	410	
(1941 census pop. 935 thousands)							Malabar . South Kanara .	••	••	18 2	7 1	***	••
Total for w/e 4-8-51	, .					0.4	West Godavari	13	6	7	4	••	••
Total for w/e 28-7-51			1		***	_	Total .	640	827	809	187		
, -		hya Pra	desh				(Estd. mid-year pop.						
Nagpur		-	••			_	55,085 thousands)	N T C	90.0	010	1 = 4		
Wardha	• •				• •	••	Total for w/e 4-8-51	756 745	390 363	619 828	152 242	••	• •
Chanda			51	1	••	••	Total for w/s 28-7-51 7-vearly mean for	140	404	040	ATA	••	
Chhindwara	• •		2	1	• •	••	the week	668	826	339	69	42	17
			TV = -		o of Sam		- C- Codes D- Death						

Explanation of Symbols usedi--- Cases, D- Deaths

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 11th August, 1951.

			Сног	ÆR.▲	Smal	LPOX	$\mathbf{P}\mathbf{L}$	∆ G U E		CHOLERA	. 8	MALLPOX	:	Plagu	H .
															
			o.	D.	c.	D.	C.	D.		o.	D.	C.	D.	Ø.	D,
			Manip	ur						Utta	: Prades	h			
Тот	AL .		••	••	4	••			Dehra Dun						
Retd. mid-ye	ar pop.								Saharanpur .		_	-	*.*	_	
567 thousand Fotal for w/s	•							•••	Musaffarnagar Meerus	. 4	-	_	-	-	_
Cotal for w/o			•••			***	***	•••	Bulandshahr .		_	_	_	_	_
•			Orb						Aligarh Mathura	٠ -	~	•	1	-	-
Juttaok			4	2	53	15			Agra	. 6	_	-	••		
Balasore			7	1	1				Mainpuri	n	-	-	••	-	-
Puri .	•		-	-	24	3	••	••	Etah Barellly	, <u> </u>		, .	••	-	-
Sambalpur Khondmala	• •		•••	0.4 0.4	36	11	9139	••	Bijnor		_	**	-		_
Ganjam Plair	w	,	1	1	20	5		• 15	Budaun		-	D.5		_	_
Ganjam Age	od .		••	••	16	7	0.0	••	Moradabad .	•	••	•	-	_	1-0
Koraput Keonjhar			• •	• •	10 6 6	34 2	••	••	Shahjahanpur . Pilibhit	. E.s		-			••
Dhenkanal	•			•••	14.	l		••	Farrukhabad .	. 2	1	1			••
Bolangir Patr	.	•	••	••	13	4	••		Etawah	. 4	2	-		•	
Sundergarh Kalahandi		•	-	• •	18 14	2 1	• •	-	Kanpur	. 12	6	2		••	
Angul	•		•.•		8	2	••		Allahabad			••	***	•-•	• > ?
Mayurbhanj		-		-	21	в	• •		Jhansi		••	• •	***		_
	TOTAL .		12	4	840	93		•. •	Jelaun Hamirpur	• • •	•-	••	- •	-	-
(Estd. mid-y	ear pop.								Bands			-	••	•••	_
18,418 tho	•								Banaras		• •	1	1	•-•	-
Total for w/e			20	9	278	51	-	_	Mirzapur Jaunpur	••	••	1		••	-
Total for w/s		L	12	8	317	93	1-4	-	Ghazipur			1	•••		-
7-yearly mea the week	n for		129	66	66	13	-	٠.	Ballia		-	474		_	-
ı			Pnr	ajab (I)					Gorakhpur Deoria	A .		4	1	-	-
Hieser .					i		-	***	Basti .						~
Rohtak .			_	-	1		~	_	Azamgarh .	•	• •	6	6	••	**
Gurgaon	•	•	•••	~	• •	••	ites	-	Nainital .	• •	• •	1	1	-	
Karsal . Ambala		•	4	2	1 	2 1		_	Garhwal	-	• •	••	•••	٠	••
Simle	•	•	***	_		9.46	_	_	Lucznow	, 5	5	• •		_	••
Kangra	•	•		-	4.4	•.•	-	-	Unao	. 6	6	••	-•	••	•••
Hoshiaryur Juliundur	•	•	••	-	1	4	-	-	Ree Barelli . Sitapur		••	••	•.•	••	••
Ludhiens			•		1	••	~-	_	Hardoi	. 17	7	••		•••	
Feromepur	•	•	_		• •	••	~		Kheri	1 1.0		• •	٠.	-	-
Amritaar Gurdaspur	•	•	-	-	1	••	-	-	Fairabad		• •				••
_	•	•		_		••	••	-	Bahraich	•	•••	••			• •
Tor		•	4	2	6	7	-	7	Sultanpur	• ••	••	• •	••	••	•.•
(Estd. mid-) 15,440 tho	was pop.							•	Pertabgarh . Bera Bunki .		··	1		••	• •
Total for w/s	4-8-5	ı .	-	8.0	15	6	_	_	Rampur	4 4.4	•••	٠.		••	
Total for w/c	28-7-5	ı .	1	1	11	8	-	-							
7-yearly me	en for								TOTAL	. 57	34	27	12	• •	
the week.	•	•	87	20	2	2	• •	-	(Estd. mid-year pop						
			T	ripura					62,134 thousands)	•					
Tor (Estd. mid-		١.	1	4	1	. •	•.•	-	Total for w/s 4 8.5	1 49	18	32	15	***	
584 thou	sands)				2	2			Total for wis 28-7-3	1 68	23	14	5	• •	••
Total for w				••	5	۷	4.5	-	7-yearly mean for	070	4=0	9 ₹	^		
***** *** **	.~ nú-1•		-	.		anati m	of Syr	nbola u	the war: $\mathbf{C} = \mathbf{C}_0 \mathbf{s}, \mathbf{s}, \mathbf{D} =$	070 = Douths	472	35	9	10	4

Reported attacks and deaths from cholers, smallpox, plague and typhus in districts in India during the week ending the 11th August, 1951—contd.

			CHOL	PPA (Smallpo:	ı P	LAGU⊞				Ожо	LEBA	BMAX	l poe	P	LAG (
•			C.	D .	о. О.	O.	D,			•	C.	D,	٥.	D.	0.	1
		W	est Bez	gal							Jammi	& Kas	հաե			
Bwdwan .	•	. 12	3	47	17	•=	•••				Return	not recei	ived,			
Birbhum .	•	. 4	4	17	7	***	-				Madhy	a Bhar	at			
Bankura .	•	. 3	1	27	12	••	-	Bhind	•	•		. •				
Midnapur	•	-	••	16	2	••	••	Bhilsa .			_					
Hooghly ,	•	6	6	8	4	•=	-	Gird .	_	•	_	•••	••	-	••	
Howrsh .		23	13	15	10	••		- •	•	•		•40	***	••	• •	
24-Pargenas		42	23	70	28	*.*	••	Indore .	•	•	•~	710	••	••	••	
Calcutta .	•		19	12	5	••	g/ag)	Jhabua .	•	•	~-		••		_	
Nadia .		16	8	8	• •	••		Morena .			440		٠.			,
Murshidabad		••	-	4	4	••		Mandsaur			4.4					
Kalda .	•	••	-	29	4	••	••	Nimar .				••	* *	•••	••	•
V -	•	• ••	••	15	7	• •	••		•	•	••		••	••	••	•
alpaiguri .		••	_	•••	••	••		Ratlam .	•	•	• •	••	- 4	••	••	
erjeeling		• • •	••	1		••	-	Shivpuri .	•	•	• •	••	. •			
ooch Behar	•	٠,		, 1	1	-	-	Shajapur .		•				T-2		
handarnagore	• •	8 .	2	••	• •	•.•	••	Ujjain .			1	1		*	••	
TOTA	t.	191	79	267	101	_		Total			1	1		••	••	
std. mid-year p 24,045 thousan	op. da)								•	·	•		••	• •	••	
stal for w/e 4-8-	5 1 .	185	65	302	122		• •	Bangalore .		34	Myso: 24	re 3	_		\$ 7	
stal for w/e 28.	7-51	241	86	890	146			Chikmagalur		11	7	•••			•	
rearly mean for								Chitaldrug .		45	17	•••			••	
	• •	176	76	51	28	_	• •	Hassan .				•		•	1	
and total for States Parts								Kadur .	,	_		1	1			
(A) & (A)		1,350	681	1,897	496	• •	•••	Kolar .		12	7	£			••	
etd. mid-year p 277,440 thousar	op.							Mandya .		29	15	1	•		2	
	-u-j.							Mytore .		157	76	2		2	18	•
rresponding Fotal for w/e	4-8-51	1,476	650	1,669	443		.,	Shimoga .	•	25	9	2	4		···	
rresponding				.,			••	Tamkur	•	29	· 18	-			***	
Cotal for w/e	28-7-8	11,566	677	2,147	607	-		TOTAL	•	342	173	11		7	48	1
early mean for	the	4,434	2,143	698	1 59		-,		P	atiala &	East_Pu	njab Sta	ites Vi	ion		1
,	•	W, WOW	2,148	ONE	198	138	54	(Taba)								
		STAT	ES PA	RT (B)				Total	•	• •		1	• •	•	• •	
		H	yderab	a.d				D.b			Rajast					
rangabad .	•	_	•.•	-	_	2	••	Bıkaner Jaipur	•	•44	-	15	4		-	
rhuan	•	33	7	8-4	••	_		Jodhpur	•		***	3	3		-	•
je			8		••	••	••	TOTAL		••	•.•	18	7		-	•
lberge	•	10	3	••		***	• •						•		-	•
ichur	•	•••	-	••	• 6	• •		.			Sauras	ntra				
der	•	•	1	••	• •			Gohilwad . Halar .	•	••	• •	••	-		_	-
manabad .	•	15	9	••		••		Madhya Saura	shtre	••	••	• • • • • • • • • • • • • • • • • • • •	• •			_
arrangal .	•	4	8	••		••		Boreth .		••	••	7 5	8		***	
rimnagar .	•	4	8					Zalawad .			••				•••	•
ilabed	•	••						TOTAL	•	• •	••	12	6			•
emebed .	•	20	6							Tra	vanoore	-Cochin				
dek	•	3	1	••	_	2	===	TOTA	L.			25	6		_	
lgonda .		6	5				-			. A1	ndhya P	radesh			_	•
hbubnagar .		33	12	••		•	_				No inc	idence.				
_		5	1	2		5	2	Grand total f								
derabad .							-	States Part (B)	516	243	69	2	ថ	52	34
		48	14		• •			(trand total fo	-							
nded	•	48 173	1 4 69	2	**	9	2	Grand total fo States Parts (A), (B) and	5	1,866	924	1,966	52			

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 11th August, 1951—concld.

	Ome	over a	SMALLS	DE.	PLAGUE	1		CROI	TRA	SMALLE	O %	PLA	GU H
	O.	D.	O.	D.	O.	D.	~	C•	D.	σ.	D,	o.	D.
	T	YPHUS					Place		Perlo	đ		Cases	
The following cases	of typhus	Moto Lol	orted duri	ng the	a week t—								
Piace			Селея		Deaths		West Bengal		1—15 Ju	dy 19 51	1	Paretic	
Greater Bombay			1		6-1		Madhya Pradesh		115 J	ul y 1981	1	••	
		OMYEL					Punjab (I)		1—15 A	ug. 1951	5	**	
(Information based of towns)	n patient	treated	in the hos	pitalı	in importa	int	Punjab (I)	•	16—31 J	fal y 1951	11	,, (Rov	rised)

Explanation of symbols used :—C=Cases; D=Deaths.

New Delhi 2 India; The 3rd September 1951.

S. P. JAIN,

for Registrar General, India,

NATIONAL SAVINGS

Available in three different series, maturing after 5,7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/r.

CERTIFICATES

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simia.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

3½% TEN-YEAR EASURY SAVINGS

Full particulars obtainable from District Organisers of the Small Savings Scheme Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simila.

DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th August, 1951.

								 _		Deat	be from						
Ton	7 20				Mid-1951 Pope-Hes-												
					(000)	В.	B. R.*	0.	8.	Р.	F. D), D.	R. D.	M.D.	Total	D.R.*	L D
Aj n	16 r							STATES (Paris A	and O)							
Ajmer		•			198	144	37·8				6 2	8 1	11 8		80	7.9	7
Beawar,		Тот.	AL	•	5 2 2 50	29 173	29·0 36·0	• •	••	••	8	6	19	••	15 4 5	15·0 9·4	4 11
В	man hopa ihar	1}						Returns no	nt receive	d.							
	n b ay																
Ahmedabad					882	645	88.4				87	81	55	••	236	13-9	100
Ahmednaga: Amalner	•	•	:	•	67 46	48 29	33 · <u>4</u> 32 · 8		••	•	3	8	8 2	1	31 6	24 · 1 6 · 8	6 8
Bandra† Baroda City Baroi	•	:	•	•	192 42	129 22	84·9 27·2	-	··	-	2 6		8 2	8	68 22	17·1 27·2	16 5
Belgaum Bhusawal	:	:		:	79 4 5	35 49	23·0 48·5	••			2 4	1 3		-:	15 18	9·9 20·8	8 5
Bijapur Bombay			•	•	58 2,354	47 1,254	42·1 27·7		••		2 6	3 29	3 160	1 1	17 672	15·2 14·8	- 220
Broach Cambay		:	•	•	78 88	36 28	24·0 38·3	••	••	••	4 3	••	6	ī	19 7	12·7 9·6	6
Dharwar Dhulla Gadag-Beig	ori	•	:	:	85 67 67	35 36 41	38·1 27·9 31·8	••	•	••	12 5	3 1 1	4 5 8	1 3	19 23 26	18·0 17·9 20·2	2 6 8
Godhra Hubli			:	•	49 108	23 68	24·4 82·7	-	_	-	10 7	•••	2 2	<u>-</u> 2	12 22	12·7 10·6	2
Jalgaon	•	•	•	•	6 3 87	89 18	82·2 25·8	-	•.•	_	11	2	9 4	9.9	2 9 6	18·2 8·4	7
Kalyan Kolhapur Kuria†	:	:	:	:	119	118	51·1	-	=	=	4		••	A.A	32	14.2	ii
Malegeon Miraj	:	:	:	:	41 39 59	31 13 47	39·8 17·3 41·4	.,	••	-	17 1 10	8	1	 	18 10 14	22-8 13-3 16-7	 5
Nadiad Nadk		•	•		59	57	50.2	••	••	••	8	1	3	••	28	84 ⋅ 6	5
Navsari Pandharpui	•		<i>:</i>	:	47 37	38 2 0	$\begin{array}{c} 42 & 0 \\ 28 \cdot 1 \end{array}$	•		-	5 12	7	1		10 4 0	11 · 1 56 · 2	18
Parle Andh Patan Pocha	ori†		•		43 819	47 261	56·8 42·5	•••	i		12 5	I 1	3.5 8.5	•••	18 146	21·8 23·8	34
Sangli† Satara					41	24		•••			1 6	;;	::		10	12.7	. 2
Shelapur Surat	•	•	•	•	274 246	209 157	89·7 83 2	••			8 1	10 5	40 29	1 	104 108	14·7 22·8	22 53
Q 42.00	•	1	JATO.		5,761	8,589	88 4	••	2	••	241	117	881	22	1,779	16 1	545
De	lhi S	tate															
Delhi City New Deshi	•	:	:	:	70 3 124	593 220	43 · 9 92 3	••	::	••	68 1	11 1	21 4	'i	143 45	18 0 10. Q	51 19
			To	TAL	826	813	51- 2		••	••	69	12	25	1	188	11.8	63
47 144	Ma	dhya	Prade	sb													
Akola† Amruvati Bilaspur	•		•	:	78 44	101 39	67·7 46 4	• •	**	• •	5 4		۲ 1	ï	83 12	22 1 14 2	11 6
Burhanpur Chanda Damoh†	,		•		6 4 44	53 81	4~ 9 87° 0	••	1	••	10 1	8 -	5 3		2 7 17	21·9 20 8	12
Ellichput Hingen, hat Jatalpur	† .	•	•	•	84 177	38 104	57·4 30 5	••	 4		4 12	4 8	1	••	24 65	36·2 19·1	6
Jacanhar		•	٠.	•	hore has be												

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F—Fevers, D. D.—Dysentery and Distribucu; R.D.—Respiratory Diseases; M.D.—Maternal Deuths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th August, 1951—contd.

								<u> </u>		D•	withe fr	om 1—		- - -			
Tow	D				ud1951 pa-Est. (000)	В.	B.R.•	0.	8.	Ρ.	F.	D.D.	R.D.	M • D ,	Total	D.R.*	I.b.
	wa	_	- - . .				8TAT	ES—(Pa	rts A and	0)Oon	td.						
Khandwa	Mean	ya Pr	adesh-	-COTA	.a. 43	36	44.1				5	4			18	15.9	• •
Nagpur † Nagpur Civil Raipur† Sagar† Wardha†	• Static	• >n †	•	•		30	## · [••	••	••	v	•	••	••	10	100	••
Yeotmal	• ,	•			82	31	49.9	• •		••	4	1	1		16	25.7	5
			TOTAL		471	433	47.8		5		45	26	24	1	213	23 · 4	40
3	ladras																
Adoni	•	•	•	•	85	25	37.1	••	••	••	••	• •	5	***	18	19.3	8
Anabur Anakapalle	•	•	•	•	89 85	20 32	26·7 47·5	-	ä	••	3 8	3	ï	•	10 20	13·3 29·7	1 2
Arappukott	ı .	:	•	:	86	58	88.8	::	~	-	4	ă.	2	- ,	21	80.8	6
Bellary†											_	_		_			
Bhimavaran Cannanore		:	:	•	88 85	15 86	23 · 6 53 · 5	-	::	414	8	2	i	1	11 18	17·8 19·3	6 3
Ohirala					86	23	33 - 2	_	-		4		••	1	9	13 · 0	
Chittoor . Combatore	•	•.		:	8 4 167	28 183	42·8 57·6	<u></u>	••	1.4	2 3	iö	2 21	ï	14 95	21·4 29·6	3 28
Ouddalore	_	_	,	_	62	84	70.5	7	••		5	9	2	2	48	40.8	9
Ouddeppeh Dindigul	:	:	:	:	84 69	26 59	89·8 45·1	***	1.	••	8 5	· . 5	1 2	***	6 29	9 · 2 22 · 2	8
Bluro					78	36	25-6	••		T-0	3	••	1	1	27	19.2	
Erode Guddiyatta:	. o	•	•	`.	45 41	51 36	79·3 45·7		••	_		2	8 2	•••	24 9	37·3 11·4	
Guntur . Kakinada	•	•	•		108 85	122 48	61 · 5 29 · 4	9	••		6 2	4	6 3	1	60 82	80·8 19·6	
Kancheepu	(appo	•	•		84	62	88.4	•••			4	3	14	1	40	24-8	
Kozhikode Karaikudi	•				154 86	146 51	49·\$ 73·7		ï		7 1	1	11 3	2	93 12	31·4 17·3	
Karur		•	•	•	. 86	24	84-7	••	••	_	***	2	1	••	13	19.8	2
Kumbakan Kumoolf	MD.	•	•	•	72	90	65.0	1	2	-	1	1	4	8	88	27.4	. 9
Madras	•	•	•	•	1,027	J ,2 00	6 0·7	1	5	••	60	1 02	2 48	4	822	41.6	3 218
Mangalore† Masulipatn Mathurai	, ma	•	:	:	61 298	47 338	40·0 51·0		2		2 14	3 11	4 89		24 172	20 - 8 26 - 0	
Mayuram					83	25	39 - 4	••					5		19	29 ·	9 6
Melapalaya Nagapattin		•	•	:	8 2 57	16 58	26·0 48·4	**	••	··	1 2		8	••	7 22		
Nellore	_		•		68	98	76-1		••_		8	6	7	2	84	65.2	26
Ootacamun P alyaa mko			•	:	85 84	50 28	74 · 3 42 · 8	••	1	••	::	1	2 3	• •	10 16	14 · 9 24 · 5	8 4
Palghat					61	45	88.4	~		_	2	2	4		28	23 - 9) g
Proddatur Pudukotta	:	:	•	:	84 40	25 81	38·2 40·3	÷	-	. .	4	1 1	1 1		12 19	18·4 84·7	Ł 4.
Rajahmun	iry				86	78	44-1		4 1.€		2	5	1		43	26.0	
Rajapalays Salem		•	:	-	54 158	38 101	36·6 33·2			-	2	4 5	2 10	·i	19 53	18 · 8 17 · 4	3
Srivilliputtu Tanjore Tellicherry	ır		:		87 71 6 2	28 81 35	39 · 4 59 · 3 43 · 3	•• ••	_1 	••	6 2	 4 1	3 10 	2	2 2 72 17		
•			-						- -	• •					,		-
Tenali . Tiruchirap; Tirunelveli	illac	:	:	:	47 177 64	47 91 67	52·0 26·7 54·4	416 416	***	-	1	2 2 4		4	20 81 28	23.8	10 9 10
Tirappar	•				49	37	89.8	e r a	••	_	7	7			30		3
Tiruvanner Tuticorin	•	•	• •		40 91	19 57	24 · 7 82 · 6 abnormal			••	i	2 3	19	3	13 45	16·9 25·7	1 15

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

[‡] Explanation of symbols used:—B.=Birtha; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague F.=Fevers, D.D.=Dy. sentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th August 1951—contd.

Torus									~		Donthe	from :-						
Vanlywarbedd	Tow	'n				Рерв	Em.	B.R.•	o.	S.	P.	P,	D.D.	R.D.		. Tota	D.R.•	LD.
Videoward 118 64 48-5 2 6 7 1 43 26-0 13 13 64 48-5 7 3 7 1 81 12-0 7		¥	igdras-	- ooni	ki.													
Vigoranda	Vaniyamba	di.				. 40	19	24.7	•••	•••		•••	1	1		۵	11.7	2
Visionary 1	Vellore .			•		. 86	71	42 - 9	***	• • •	•••	2	6	7	1	43	26.0	13
Vishangram						_						5	_	1	_			_
Derhampur	Visakhap str	o de m				84	104	64 - 4	•••	•••		5	6	2	3	86	22.8	18
Berbanopur			T	OTAL	•	4,457	4,262	49.8	18	16	•••	309.	239	502	89	2,497	29-1	599
Contack 108 57 28-8 9 9 2 28 14-1 3		Oı	rises															
Punjah (D) Ambala	Cuttack	:	•	•	•									9 2				
Punjah (D) Ambala				•														
Ambala			TOTAL	•	•	166	92	29.8	•••	***	***	14	14	4	-	140	14.4	6
Bastala	1	Pus	ab (I)						,									
Batele				٠					•••	***	•••				_			
Ferosepore		:	•	:	:													91 ,
Hissar S55 29 43 2	, Bhiwani	•	•	•	•	52	54	54.0	•••	***	400	6	1		***	9	9:0	8.
Hechiary 12	Геготе роге	•	•	•	•	41	17	21 · 6	•••	***	***	_	***		***	5	6.4	8
Full border 171 83 35 8			:	:									_					
Karnal	Juliun dur	•	•	¢	•	_	_	_		•••						#1	6.4	18
Lightlane 150 197 44-1		•	•	•	•	-				***		_			P ===			-
Rohark	Ludhiana	:	:			150	127	44.1	***	•••	•••	7	1	•••	***	18	4.5	4
Scheak So So So So So So So S		:	:	-														6 I
Some	-	•	•	٠	•	= :			***		•••	1		***		7	6.2	_
Uttar Pradesh Agra		:	:		:		= =	= - =						_				
Agra		•	TOTAL	•		1,282	881	85.8	•••	4	***	74	15	89	•••	223	9.5	76
Agra	U	ttar	Prade	gh														
Bahraich	Agra Allahabud		•												•••		15.9	48.
Bahradeb			•	:	•													
Banaras . 313 318 53·0		•	-															
Budaun		•	•	٠	•							_	25	13	1	244		
Etawah 59 75 65.7 18 2 37 32.4 28 Faizabad-Jodhya 58 37 33.0 1 5 1 13 11.6 2 Farrukhel ad-Fatehgarb 65 55 44.4 10 2 5 31 28.4 8 Ferosabad 57 53 48.6 6 12 2 2 31 28.4 8 Ghasipur 35 30 44.3 4 2 2 15 22.2 5 Gorakhpur 128 88 87.2 10 7 10 40 16.9 15 Hapur 48 51 55.9 3 2 3 1 14 15.3 3 Hardwar Union 72 36 <	Budaun	•	:	:	:	59	60	53 · 1	***	***		15	i	2		22	19.5	9
Ferrukhel ad-Fatchgarb 65 55 44.4 10 2 5 31 25.0 13 Feromabad	Etawah	dh o											1					28
Ghasipur	Farrukhal ad	Fat	chgarb	,								10		5				
Hapur	Ghazipur	•	•			85	80	44.3	***	•••	•••	4	2	2	•••	15	22,2	5
Hathras			-							•••	•••		2	8	1	14	15·8	8 .
Jhansi		, III				67								_		-		10 🦠
Kanpur	TL Is		-															
Koil Aligrah,	Kappur .					701	403	30.0				101	88 8	6	6 8	12		
	Koil Aligrah					146	105 3	37-5	•••	,	•••	11	5	2 .	••	80 j	0.7	9 .

^{*} In cases of towns where there has been an abnormalo movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

[‡] Explanation of symbols used:—B.⇒Births; B.R.⇒Birth Rate; C.=Cholera; S. =Smallpox; P.=Plague; F.=Fevers, D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 11th August, 1951—contd.

									Deat h	from s-					
Town			Mid-19 Popn. E (000)	st.	B.K.•	0.	8.	₽,	F.	D.D.	R.D.	M. D.	Total	D.R.	L D
Uttar Pr	adesho	ontd.				-									
Mathura . Meerut Mirzapur-Vindhy	achal .	· ·	102 163 82	99 131 80	50·5 42·0 51·1	***	•••	•••	10 8 18	 2 2	7 9 4	 1	29 31 40	14·8 9·9 25·6	7 5 11
Moradabad . Muzaffarnagar Pulibhit .	•	•	189 66 54	202 20 28	$55 \cdot 7$ $22 \cdot 0$ $27 \cdot 1$	•••	•••	•••	$\frac{12}{4}$	6 1 	10 1 1	•••	58 10 12	16·0 7·8	16 3 6
Sampur Saharenpur Sambhai	•	•	105 171 64	20 1 0 9 86	9·9 33·3 69·9	***	•••	•••	4 45 22	1 5	1 1 4		12 50 36	6·0 15·3 29 3	3 14 12
Shahjahanpur Sitapur	•	<i>:</i>	135 3 8	89 26	34 · 4 35 · 9	•••	•••	•••	17 3		1	***	30 6	8·3	10
TOTAL	•	•	4,848	3,915	42.0	6	2		56 3	147	250	16	.1,728	18.5	517
	V'est, Ser	n eal	•												
Asausol† Bally Bankura	: :		61 49	12 9	10·2 9·6	• •	••	••	1	••	3	••	6 2	5 1 2·1	• · ·
Beranagar Berhampur ' Bhatpara		*	78 5 6 134	43 33 54	28·7 30.6 21·0	· ·	2	••	4 8 19	2 2 3	5 1	2 .;	23 17 57	15·8 22·1	8 2 9
Budge Budge Burdwan Oalcutta		*	32 76 2, 564	18 9 1,350	29·3 6·2 27·4	·· iè	·· ·	••	2 94	2 3 141	2 162	··· ·•	5 10 835	8·1 6·8 16·9	199
Champdani † Garden Resch Hoogly Chinsura	• •	:	111 57	1 0 43	4·7 39·2		2	••	3 6	. 3 . 5	1	**	14 19	6·6 17·3	2 3
Howrah † Kamarhati†					(•		,							
Krishnagar .	•	•	48	ŧ	1.1		••	• •	••	••	••	:•	1	1.1	• •
Midnapur Nabadwip Naihati	• •	•	44 57 56	27 25 7	31'-9 22-8 6-5	•••		···	1 8 3	1 3	i	••	6 12 14	7·1 10·9 13·0	 Š
Berampur Bouth Suburban		•	74	26	18.3	• •	2	-	4	2	2	••	24	16.9	6
l'itagerh,		•	71	26	19.0	••	••	••	16	• •	••	••	17	12.5	. ••
Collyganj		•	154	3	1.0	ì	••	•• .	• •	••	••	••	1	0-3	• •
	TOTAL	•	3 ₀ 722	1,696	23.7	21	11	••	169	168	179	11	1,063	14.9	234
					8 T .	ates—	-(Part	B)							
Jamus s Madhy	and Kashi a Bharat				Ret	urn soi	Peosi vi	sd.							
reater Gwalior adore City atlam †	Ť		278	158	29.6	±44	• •	•••	3 0	9	6	••	107	2 0 ·0	45
jjain City			106	32	15.7	***	••	***	••	2	7	••	47	23 0	19
	TOTAL		384	190	25.7	***	••	•••	30	11	13	••	154	20.9	64
Mys	ore S tate														
angalore City olar Gold Field ysore City.		•	788 160 247	645 148 172	42·6 48·1 36·3	 3	::	••	1 6 12	31 14 11	61 3	2	145 24 5 0	9·6 7·8 10·5	••
* To eace	TOTAL		1,195	965	42.0	8	i		19	56	'64	4	219	9 5	••

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be fleiently reli able for calculating the birth and death rates.

[†] Figures not available

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox, P.=Plegue; F.=Fevers; D.D.=Dyntery and Diarrhoes; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death, Rate; I.D.=Infantile Deaths (included total deaths).

Births and deaths from principal diseases in to was with a population of over 30,000 in India for the week ending the 11th August, 1951—costd.

													De	ootbe tre) II				
		1040	n			Mid198 P opuE (000)		9 ,R,	•	ø.	8	Ρ,	P.	D.D.	R.D.	M.D.	Total	D. H.*	I.D.
	PEP	su																	
Bhatinda† M alerkoti s P ati als						33 98	36 56	56·7 29·7					2 1 6	,	= 1.0		4 30		3 13
		ľo	TAL			131	92	36.5				•	18	٠.			34	13.6	16
	1	Raja	stha n	ı														4	
Alwar † Bikaner				•	. 1	17	58	16.9						1	6	••	21	9 · 3	4
Jaipur † Jodhpur . Udaipur	•	•	· .	•	. 17	95 16 11	65 27 5	2·9 8·0 11·5					25 6 3	3 ••	6 2 	1 2	68 18 6	12-0 5-3 3-4	26
			To r (1	L	(379	135	10.4				,	31	4	14	3	113	8.7	32
	8	aura	shtra																
Bhavnagar Dhoraji Jamnagar			•	•	131 46 8	3 8	i 8/	. 8 3 · 9		••			12 2 15	ï	4 3 3	•••	22 14 23	8·7 15·8 13·4	10
Jetpur	•				34	L 20	30	9.6	•••			•-	ı	-	1	•••	4	6 ·1	
Junagadh† Morvi	•		•	•	1	56	6 1	4.8	•••	•=-		•••	2	1	***	- •	4	3 · 7	1
Porbandar Rajkot	,	•	-	•	64 7		9 29 3 79	3·6)· 4	***			••	15 37	3 3	ï		26 41	21-2 28-8	
		T	OTAL		49	4 30	8 3	2 · 4	•••	***		••	84	8	12	1	134	14-1	2 0
Tra	VARIOCO	re.C	aldoo					Re	turn	not re	ceive	ł.							
								AR	RØ4	IR R	ETU:	RNS							
	B	tadi						for w/		28th J	-								
Arrah Bottiah Bhagalpur	:	:	:	:	57 88 103	10 22 14	9 34 7	9		ï			8 1 6	 	•••	1	14 3 19	4.8	 4
Bihar Chapra Darbhanga		<i>:</i>	:	:	62 63 75	7 12 20	5 9 13	9	•••	1 1			2 1 3	•••	***	•••	გ გ	• • •	*** ***
Dinapur-Nis Gaya Jamalpur	amat	: ,			37 123 49 、	8 44 5	11· 18·	в	₁	2 1 2	***	á	36 1	10	25	***	7 95 4	40 · 2	***
Jamshedpur Monghyr		:	:		216 74	95 7	22 ·	9				•	2	***	1	1	12	2·9 2·1	3
Muzaffarpur Patna	•	•	•	•	66 19 2	10 16	7· 4·		***	2 2	•••		2 2	 1	2	••	23	-	***
Purulia Ranchi	:	•	:	:	35 58	7 10	10	4	 1				.î			***	20 2 7	3.0	• •
	Total	Ľ	•	•	1,246	287	12	0	5	13	**1		71	13	28	2	216	8.0	3
Ma	dhya l	Prad	esh																
			fo	r wje	() 50					_			1.4				^=	1 d	
Nagpur		•	•	30 6-5 7-7-6		3 172 , 59	29 ·	- 0	•••				14 6	13 18	15 1	••	87 26	1 4 · 9	•••
••	•	•	•	14-7-8	· 1	, 87				•••			12		7	3	120	_	7
n	•	٠	•	21-7-		. 200	-		•••	5		• •	44	7	6	5	107	18.2	17
Nagpur C.S		•	•	28-7 -4		., 1 32 5 19		•÷ •6	٠.	••		• •	25	5	5	••	48	8.1	-
Magpur O.S		:		7-7-	. 1	, 55				1			7	8	3		30		,
**		•		14 7-4	5 1	, 50	30	5				• •	7	1	2	• •	34		
••	•	•		21-7-6	•	, 46	28		••	• •		•	2	٠.	2	••	17	J0 · 4	••
Raipur			•	28-7-		, 56 2 20	_		••	••		 	6 4	ช เ	1 	••	14 6		-

[•] In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B. = Births; B.R. = Birth Rate; C. = Cholora; S. = Smallpox; P. = Plague; F. = Fevers, DD. = Dysentery and Diarrhoeu; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total double).

REMARKS

The figures of births and deaths shown in this statement for week ending the 11th August, 1951, relate to 184 towns with an estimated population of 24,666 thousands. The total number of towns is 236 and their population is 129,440 thousands. Thus 78% of the total number of towns representing 84% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 17,452 and 8,435 representing birth and death rates of 36.8 and 17.8 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 165 towns with an estimated population of 21,783 thousands. Information about Assam and Bihar could not be included. The total number of towns is 202 and their population is 25,128 thousands. Thus 82% of the total number of towns representing 87% of the total population is covered. The numbers of births and deaths recorded in these towns were 15,762 and 7,781 representing birth and death rates of 37.6 and 18.6 per thousand of population

respectively. The table at the end gives the position by States.

The towns of Pandharpur in Bombay and Nellore and Tanjore in Madras recorded high death rates of 56·2, 65·2 and 52·7 per thousand of population respectively. In Pandharpur, the high death rate was largely due to deaths from fevers and respiratory diseases, and in Nellore and Tanjore, the high death rates were not due to any one of the specified causes.

(B) States (Part B).—The data here relate to 19 towns with an estimated population of 2,883 thousands. The total number of towns is 34 and their population is 4,312 thousands. Thus 56% of the total number of towns representing 67% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,690 and 654 representing birth and death rates of 30.5 and 11.8 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

Utates	,	Current w	/e 11-8-51	Corresponding to the contract of the contract	onding w/e year	Corresponding the previous 5	mean during.
		B.R.	D.R.	B.R.	D.R.	B.R.	D.R
Ajmer		36.0	9.4	52 · 7	14.6	41.8	19 2
Bombay .		33 · 4	16.1	38 · 6	19 -1	33 • 2	24 · 6
Delhi		51 • 2	11.8	54.5	14.7	44.1	15.3
Madhya Pradesh		47.8	23.4	37 - 24	22.0	$42 \cdot 8$	24 · 6
Madres		49 ·8	29 · 1	48.6	31.5	47 : 0	27 · 7
Orissa		29.8	14-4	45.5	36.6	38.9	28.6
Panjab (I)		35.8	9.5	28-4	11.4	28.7	13 5
Uttar Pradesh		42.0	18 · 5	34.8	18.4	4 0 l	23 6-
West Bengal .		23.7	14 · 9	12.9	17.0	12 · 7	14 · 3
India (only States Parts A and C).	•	37.6	18.6	33.0	20.3	35 8	33.1

Forwarded for information.

NEW DELHI, 2 (INDIA);

S. P. JAIN,

The 3rd September, 1951.

for Registrar General, India.